

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director  
Division of Water  
Room W264  
402 West Washington Street  
Indianapolis, Indiana 46204

For a petition to be considered valid it must:

1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water  
Room W264  
402 West Washington Street  
Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-23911

Stream : Big Raccoon Creek

Applicant : Jeffrey Hegedus  
7373 Fairway Circle East Drive  
Indianapolis, IN 46236-9791

Description : A 60' by 40' pole barn will be constructed approximately 300' from the top of the streambank. A 1.9 acre pond will be constructed with a 6' by 12' rip rap outlet to the creek. An earthen embankment will be created along the tract's streamward side from the material excavated for the pond creation, with a 50' opening to serve as the pond's drainage swale. The embankment will be approximately 3' high by 1050' long and will be set back approximately 80' from the top of the streambank. In addition, a single family home and second pond will be constructed in the northwest part of the property. Details of the project are contained in information and plans received at the Division of Water on July 12, 2006 and August 22, 2006.

Location : Beginning approximately 80' east of the County Road 300 South and County Road 650 West intersection and extending approximately 800' south and approximately 740' west  
near Advance, Jackson Township, Boone County  
SE¼, NE¼, NW¼, Section 24, T 18N, R 2W, Lizton Quadrangle  
Quad Code: 3908685  
UTM Coordinates: Downstream 4426985 North, 534840 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-23985

Stream : White Lick Creek

Applicant : Centre Properties  
Craig Johnson  
9333 North Meridian Street, Suite 275  
Indianapolis, IN 46260-1846

Description : A 400' x 200' irregular shaped area will be excavated in the floodplain of White Lick and Shiloh Creek for the development of a wetlands. The excavation will vary in depth from 1' around the perimeter to approximately 5' in the center to the edges. It will be excavated within approximately 20' of the bank where it will match existing grades. The excavation finished elevation will be 760.0', NGVD with a 100' buffer at 1% slope to 759.50. Details of the project are contained in information received electronically at the Division of Water on August 29, 2006.

Location : The project location is on the bank of White Lick Creek in the White Lick Creek Floodway. The project limits will be Rockville Road to the north, the creek to the east, the pond to the south, and the property line to the west  
at Indianapolis, Wayne Township, Marion County  
Section 9, T 15N, R 2E

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-23986

Stream : Unnamed Tributary Silver Creek

Applicant : \*Indiana Department of Transportation  
Richard Phillabaum  
100 North Senate Avenue, Room N642  
Indianapolis, IN 46204-2216

Description : The existing structure, a large multi-plate pipe arch, which failed during a recent high-intensity rainfall will be replaced with a larger size. The new structure will be 20'7" x 13'3" multi-plate pipe arch. The profile grade of the roadway will be unchanged. Details of the project are contained in plans and information received at the Division of Water on August 29, 2006.

Location : State Road 60 creek crossing  
near Hamburg, Silver Creek Township, Clark County  
Clark Military Grant #108, Speed Quadrangle  
Quad Code: 3808547  
UTM Coordinates: Downstream 4249275 North, 607299 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : NW-59

Stream : Unnamed Tributary St.  
Joseph River

Applicant : James F Piechorwski  
55659 Rivershore Lane  
Elkhart, IN 46516-1222

Description : Approximately 3' of accumulated muck and debris will be removed from the channel by dredging to a maximum depth of 4' below the normal water level approximately 38' wide and 27' from the bank, and sloping uniformly to a depth of 6" at the bank. The excavated material will be transported to an upland containment area for dewatering and disposal. Details of the project are contained in information received electronically at the Division of Water on July 24, 2006, August 3, 2006 and August 7, 2006.

Location : 55659 Rivershore Drive; at the north end of a channel along the left bank approximately 3000' upstream of the Crawford Ditch confluence near Elkhart, Baugo Township, Elkhart County  
SE¼, NE¼, SW¼, Section 2, T 37N, R 4E, Osceola Quadrangle  
Quad Code: 4108661  
UTM Coordinates: Downstream 4615395 North, 580466 East

Statute/Rule : Navigable Waterway Act, IC 14-29-1, with the associated Navigable Waterway Rule, 312 IAC 6

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : PL-20556

Lake : Bass Lake

Applicant : Paul M Sylves  
Dale M Sylves  
14537 Edison  
New Lenox, IL 60451

Dale M Sylves  
14537 Edison  
New Lenox, IL 60451

Description : A new seawall will be constructed along the frontage of the applicant on Bass Lake to deter shoreline erosion. The wall will be composed of 2" to 12" diameter stone and will be approximately 60' long. Its lakeward face will be at the legal shoreline of the lake. Details of the project are contained in information received electronically at the Division of Water on August 25 2006.

Location : Bass Lake, 3530 South County Road 210  
near Knox, North Bend Township, Starke County  
Section 7, T 32N, R 1W

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-20557

Lake : Syracuse Lake

Applicant : Gordon Moore  
729 East Northshore  
Syracuse, IN 46567-2140

Description : An existing poured in place concrete seawall will be refaced across a portion of the 50' frontage of the applicant on Syracuse Lake to prevent deterioration. The refacing will consist of poured in place concrete, which will be tied to the existing wall with ½" rerod. The refacing will have a maximum thickness of 12" and will be sloped on the lakeward side. A 30" wide concrete walkway will be constructed on top and landward of the lakeward face of the refaced wall. Details of the project are contained in information received electronically at the Division of Water on August 25 2006.

Location : Lot 17 & Stp along Lot 17 Potawatomi Park  
near Syracuse, Turkey Creek Township, Kosciusko County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : PL-20561

Lake : Little Chapman Lake

Applicant : Chapman Lakes Conservation Association  
Dan Lee  
PO Box 776  
Warsaw, IN 46581-0776

Description : An area at the mouth of Arrowhead Drain that extends 150' along the shoreline and 50' into the lake (approximately 7500 sq. ft) will be hydraulically dredged to the original lake bottom to remove accumulated sediments. The lake bed will be dredged a maximum of 6' deep at a point 50' from shore and sloped gradually to the existing grade at the shoreline. Additionally, an area 150' along the shoreline and extending 70' into the lake at the mouth of Highland Drain will be hydraulically dredged to a maximum depth of 6' and sloped gradually to the shoreline. All dredge spoils will be pumped to a contained upland disposal area with return water pipes directing water through filters and back to the lake. Details of the project are contained in information received electronically at the Division of Water on August 28 2006.

Location : Site 1 is located at the north end of Little Chapman Lake and at the mouth of Arrowhead Drain which empties into the lake between 1943 and 1951 Chapman Lake Drive; Site 2 at the outlet of Highland Drain in the approximate center east shoreline of Little Chapman Lake. Highland Drain empties into Little Chapman Lake between 2101 and 2103 Chapman Lake Drive near Warsaw, Tippecanoe Township, Kosciusko County NE¼, Section 35, T 33N, R 6E, Leesburg Quadrangle Quad Code: 4108537

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : PL-20562

Lake : Big Chapman Lake

Applicant : Dale A Rigdon  
20 Ems Ln C7  
Warsaw, IN 46582

Description : An existing 25' wide, 1200' long channel off Big Chapman Lake will be restored to its original condition from 30' lakeward of the north end 600' south to the north lot line of 707 Chapman Lake Drive. Approximately 4' of accumulated muck and debris will be removed from the channel bed by hydraulic dredging to a depth of 4' below the legal level of the lake at the center of the channel and sloping uniformly to a depth of less than 1' at the shoreline. The excavated material will be pumped to the remaining 600' of channel to restore the original grade. 48" to 60" diameter, water filled sacks will be used to contain all hydraulic dredge spoils within the filled area. Excess water will be allowed to return to Chapman Lake. Details of the project are contained in information received electronically at the Division of Water on August 28 2006.

Location : The channel proposed for Dredging and Filling is the Waw-Wil-A-Away channel originally constructed in 1950-51 under a Dept. of Conservation permit. The channel can be accessed from any property between 633 and 753 Chapman Lake Drive  
near Warsaw, Tippecanoe Township, Kosciusko County  
NW¼, Section 25, T 33N, R 6E, Leesburg Quadrangle  
Quad Code: 4108537

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : PL-20563

Lake : Big Chapman Lake

Applicant : Chapman Lakes Conservation Association  
Dan Lee  
PO Box 776  
Warsaw, IN 46581-0776

Description : A semi-circular area at the mouth of Crooked Creek that extends 150' along the shoreline and 100' into Chapman Lake (approximately 11,225 sq ft or 0.25 acres) will be hydraulically dredged to the original lake bottom to remove accumulated sediments. The lake bed will be dredged a maximum of 6' deep at a point 150' from shore and sloped gradually to the existing grade along the shoreline. Additionally, the 900' long by 30' wide channel between Big Chapman and Little Chapman Lake will be dredged to a maximum depth of 5' along the centerline of the existing channel and sloped gradually to the channel edges, except for a 30' section near the center where another channel joins from the west. This section shall be hydraulically dredged to a maximum depth of five feet at the side channel entrance and slope gradually to the east edge of the main channel. All dredge spoils will be pumped to a contained upland disposal area with return water pipes directing water through filters and back to the lake. Details of the project are contained in information received electronically at the Division of Water on August 28 2006.

Location : The projects sites are both located in Big Chapman Lake, Kosciusko County, Indiana. site 1 is outlet of Crooked Creek on the property of 967 Chapman Lake Drive, SE1/4 NW1/4 Sec25 T33N R6E. Site 2 is the channel between Big Chapman and Little Chapman Lake in the SE1/4 Sec26 T33N R6E and the NE1/4 Sec35 T33N R6E. The channel can be reached from Chapman Lake Drive and EMS C19 Lane.  
near Warsaw, Tippecanoe Township, Kosciusko County  
Section 25, T 33N, R 6E, Leesburg Quadrangle  
Quad Code: 4108537

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : PL-20564

Lake : Kuhn Lake

Applicant : Vern Behny  
78 EMS B6C Lane  
(Empty Lot)  
Leesburg, IN 46538

Description : A new seawall will be constructed across 60' of the 60' frontage of the applicant along Kuhn Lake to deter shoreline erosion. The wall will consist of poured in place concrete which will be sloped on the lakeward side. It will be 48" high and will vary uniformly in thickness from 13" inches to 30" from the base to the top. The lakeward face of the wall will be at the legal shoreline. Wall will be installed on empty lot. Details of the project are contained in information received electronically at the Division of Water on August 30, 2006.

Location : North Side of Kuhn Lake. Located between the towns of North Webster and Leesburg. In Tippecanoe Township, Kosciusko county. Legal Description:  
005-105-023 LOTS 3 & 4 & E 1/2 LOT 2 SPRINGVIEW PARK  
Near Leesburg, Tippecanoe Township, Kosciusko County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11